

Decision Properties of Regular Languages

General Discussion of “Properties”

The Pumping Lemma

Membership, Emptiness, Etc.

Properties of Language Classes

- ◆ A *language class* is a set of languages.
 - ◆ We have one example: the regular languages.
 - ◆ We'll see many more in this class.
- ◆ Language classes have two important kinds of properties:
 1. Decision properties.
 2. Closure properties.

Representation of Languages

- ◆ Representations can be formal or informal.
- ◆ **Example** (formal): represent a language by a RE or DFA defining it.
- ◆ **Example**: (informal): a logical or prose statement about its strings:
 - ◆ $\{0^n1^n \mid n \text{ is a nonnegative integer}\}$
 - ◆ "The set of strings consisting of some number of 0's followed by the same number of 1's."

Decision Properties

- ◆ A *decision property* for a class of languages is an algorithm that takes a formal description of a language (e.g., a DFA) and tells whether or not some property holds.
- ◆ **Example:** Is language L empty?

Subtle Point: Representation Matters

- ◆ You might imagine that the language is described informally, so if my description is “the empty language” then yes, otherwise no.
- ◆ But the representation is a DFA (or a RE that you will convert to a DFA).
- ◆ Can you tell if $L(A) = \emptyset$ for DFA A ?

Why Decision Properties?

- ◆ When we talked about protocols represented as DFA's, we noted that important properties of a good protocol were related to the language of the DFA.
- ◆ **Example:** "Does the protocol terminate?" = "Is the language finite?"
- ◆ **Example:** "Can the protocol fail?" = "Is the language nonempty?"

Why Decision Properties – (2)

- ◆ We might want a “smallest” representation for a language, e.g., a minimum-state DFA or a shortest RE.
- ◆ If you can’t decide “Are these two languages the same?”
 - ◆ I.e., do two DFA’s define the same language?

You can’t find a “smallest.”

Closure Properties

- ◆ A *closure property* of a language class says that given languages in the class, an operator (e.g., union) produces another language in the same class.
- ◆ **Example:** the regular languages are obviously closed under union, concatenation, and (Kleene) closure.
 - ◆ Use the RE representation of languages.

Why Closure Properties?

1. Helps construct representations.
2. Helps show (informally described) languages not to be in the class.


Example: Use of Closure Property

- ◆ We can easily prove $L_1 = \{0^n 1^n \mid n \geq 0\}$ is not a regular language.
- ◆ $L_2 =$ the set of strings with an equal number of 0's and 1's isn't either, but that fact is trickier to prove.
- ◆ Regular languages are closed under \cap .
- ◆ If L_2 were regular, then $L_2 \cap L(\mathbf{0^*1^*}) = L_1$ would be, but it isn't.


The Membership Question

- ◆ Our first decision property is the question: “is string w in regular language L ?”
- ◆ Assume L is represented by a DFA A .
- ◆ Simulate the action of A on the sequence of input symbols forming w .


Example: Testing Membership




Example: Testing Membership




Example: Testing Membership




Example: Testing Membership



Example: Testing Membership




Example: Testing Membership



What if the Regular Language Is not Represented by a DFA?

- ◆ There is a circle of conversions from one form to another:



The Emptiness Problem

- ◆ Given a regular language, does the language contain any string at all.
- ◆ Assume representation is DFA.
- ◆ Construct the transition graph.
- ◆ Compute the set of states reachable from the start state.
- ◆ If any final state is reachable, then yes, else no.


The Infiniteness Problem

- ◆ Is a given regular language infinite?
- ◆ Start with a DFA for the language.
- ◆ **Key idea**: if the DFA has n states, and the language contains any string of length n or more, then the language is infinite.
- ◆ Otherwise, the language is surely finite.
 - ◆ Limited to strings of length n or less.

Proof of Key Idea

- ◆ If an n -state DFA accepts a string w of length n or more, then there must be a state that appears twice on the path labeled w from the start state to a final state.
- ◆ Because there are at least $n+1$ states along the path.

Proof – (2)




Then xy^iz is in the language for all $i \geq 0$.

Since y is not ϵ , we see an infinite number of strings in L .

Infiniteness – Continued

- ◆ We do not yet have an algorithm.
- ◆ There are an infinite number of strings of length $> n$, and we can't test them all.
- ◆ **Second key idea**: if there is a string of length $\geq n$ (= number of states) in L , then there is a string of length between n and $2n-1$.

Proof of 2nd Key Idea

- ◆ Remember: 
- ◆ We can choose y to be the first cycle on the path.
- ◆ So $|xy| \leq n$; in particular, $1 \leq |y| \leq n$.
- ◆ Thus, if w is of length $2n$ or more, there is a shorter string in L that is still of length at least n .
- ◆ Keep shortening to reach $[n, 2n-1]$.

Completion of Infiniteness Algorithm

- ◆ Test for membership all strings of length between n and $2n-1$.
 - ◆ If any are accepted, then infinite, else finite.
- ◆ A terrible algorithm.
- ◆ **Better**: find cycles between the start state and a final state.

Finding Cycles

1. Eliminate states not reachable from the start state.
2. Eliminate states that do not reach a final state.
3. Test if the remaining transition graph has any cycles.

The Pumping Lemma

- ◆ We have, almost accidentally, proved a statement that is quite useful for showing certain languages are not regular.
- ◆ Called the *pumping lemma for regular languages*.

Statement of the Pumping Lemma

For every regular language L

Number of
states of
DFA for L

There is an integer n , such that

For every string w in L of length $\geq n$

We can write $w = xyz$ such that:

1. $|xy| \leq n$.
2. $|y| > 0$.
3. For all $i \geq 0$, xy^iz is in L.

Labels along
first cycle on
path labeled w

Example: Use of Pumping Lemma

- ◆ We have claimed $\{0^k1^k \mid k \geq 1\}$ is not a regular language.
- ◆ Suppose it were. Then there would be an associated n for the pumping lemma.
- ◆ Let $w = 0^n1^n$. We can write $w = xyz$, where x and y consist of 0's, and $y \neq \epsilon$.
- ◆ But then $xyyz$ would be in L , and this string has more 0's than 1's.


Decision Property: Equivalence

- ◆ Given regular languages L and M , is $L = M$?
- ◆ Algorithm involves constructing the *product DFA* from DFA's for L and M .
- ◆ Let these DFA's have sets of states Q and R , respectively.
- ◆ Product DFA has set of states $Q \times R$.
 - ◆ I.e., pairs $[q, r]$ with q in Q , r in R .

Product DFA – Continued

- ◆ Start state = $[q_0, r_0]$ (the start states of the DFA's for L, M).
- ◆ **Transitions:** $\delta([q,r], a) = [\delta_L(q,a), \delta_M(r,a)]$
 - ◆ δ_L, δ_M are the transition functions for the DFA's of L, M.
 - ◆ That is, we simulate the two DFA's in the two state components of the product DFA.


Example: Product DFA



Equivalence Algorithm

- ◆ Make the final states of the product DFA be those states $[q, r]$ such that exactly one of q and r is a final state of its own DFA.
- ◆ Thus, the product accepts w iff w is in exactly one of L and M .

Example: Equivalence



Equivalence Algorithm – (2)


- ◆ The product DFA's language is empty iff $L = M$.
- ◆ But we already have an algorithm to test whether the language of a DFA is empty.

Decision Property: Containment

- ◆ Given regular languages L and M , is $L \subseteq M$?
- ◆ Algorithm also uses the product automaton.
- ◆ How do you define the final states $[q, r]$ of the product so its language is empty iff $L \subseteq M$?

Answer: q is final; r is not.

Example: Containment



Note: the only final state is unreachable, so containment holds.

The Minimum-State DFA for a Regular Language

- ◆ In principle, since we can test for equivalence of DFA's we can, given a DFA A find the DFA with the fewest states accepting $L(A)$.
- ◆ Test all smaller DFA's for equivalence with A .
- ◆ But that's a terrible algorithm.

Efficient State Minimization

- ◆ Construct a table with all pairs of states.
- ◆ If you find a string that *distinguishes* two states (takes exactly one to an accepting state), mark that pair.
- ◆ Algorithm is a recursion on the length of the shortest distinguishing string.

State Minimization – (2)

- ◆ **Basis**: Mark a pair if exactly one is a final state.
- ◆ **Induction**: mark $[q, r]$ if there is some input symbol a such that $[\delta(q,a), \delta(r,a)]$ is marked.
- ◆ After no more marks are possible, the unmarked pairs are equivalent and can be merged into one state.

Transitivity of “Indistinguishable”

- ◆ If state p is indistinguishable from q , and q is indistinguishable from r , then p is indistinguishable from r .
- ◆ **Proof:** The outcome (accept or don't) of p and q on input w is the same, and the outcome of q and r on w is the same, then likewise the outcome of p and r .

Constructing the Minimum-State DFA

- ◆ Suppose q_1, \dots, q_k are indistinguishable states.
- ◆ Replace them by one state q .
- ◆ Then $\delta(q_1, a), \dots, \delta(q_k, a)$ are all indistinguishable states.
 - ◆ **Key point:** otherwise, we should have marked at least one more pair.
- ◆ Let $\delta(q, a) =$ the representative state for that group.

Example: State Minimization

	r	b
→ {1}	{2,4}	{5}
{2,4}	{2,4,6,8}	{1,3,5,7}
{5}	{2,4,6,8}	{1,3,7,9}
{2,4,6,8}	{2,4,6,8}	{1,3,5,7,9}
{1,3,5,7}	{2,4,6,8}	{1,3,5,7,9}
* {1,3,7,9}	{2,4,6,8}	{5}
* {1,3,5,7,9}	{2,4,6,8}	{1,3,5,7,9}

	r	b
→ A	B	C
B	D	E
C	D	F
D	D	G
E	D	G
* F	D	C
* G	D	G

Here it is
with more
convenient
state names

Remember this DFA? It was constructed for the chessboard NFA by the subset construction.

Example – Continued

	r	b
→ A	B	C
B	D	E
C	D	F
D	D	G
E	D	G
* F	D	C
* G	D	G

	G	F	E	D	C	B
A	X	X				
B	X	X				
C	X	X				
D	X	X				
E	X	X				
F						

Start with marks for the pairs with one of the final states F or G.

Example – Continued

	r	b
→	A B	C
	B D	E
	C D	F
	D D	G
	E D	G
*	F D	C
*	G D	G

	G	F	E	D	C	B
A	X	X				
B	X	X				
C	X	X				
D	X	X				
E	X	X				
F						

Input r gives no help,
because the pair [B, D]
is not marked.

Example – Continued

	r	b
→ A	B	C
B	D	E
C	D	F
D	D	G
E	D	G
* F	D	C
* G	D	G

	G	F	E	D	C	B
A	X	X	X	X	X	
B	X	X	X	X	X	
C	X	X				
D	X	X				
E	X	X				
F	X					

But input b distinguishes $\{A, B, F\}$ from $\{C, D, E, G\}$. For example, $[A, C]$ gets marked because $[C, F]$ is marked.

Example – Continued

	r	b
→ A	B	C
B	D	E
C	D	F
D	D	G
E	D	G
* F	D	C
* G	D	G

	G	F	E	D	C	B
A	X	X	X	X	X	
B	X	X	X	X	X	
C	X	X	X	X		
D	X	X				
E	X	X				
F	X					

[C, D] and [C, E] are marked because of transitions on b to marked pair [F, G].

Example – Continued

	r	b
→ A	B	C
B	D	E
C	D	F
D	D	G
E	D	G
* F	D	C
* G	D	G

[A, B] is marked because of transitions on r to marked pair [B, D].

	G	F	E	D	C	B
A	X	X	X	X	X	X
B	X	X	X	X	X	
C	X	X	X	X		
D	X	X				
E	X	X				
F	X					

[D, E] can never be marked, because on both inputs they go to the same state.

Example – Concluded

	r	b
→ A	B	C
B	D	E
C	D	F
D	D	G
E	D	G
* F	D	C
* G	D	G

	r	b
→ A	B	C
B	H	H
C	H	F
H	H	G
* F	H	C
* G	H	G

	G	F	E	D	C	B
A	X	X	X	X	X	X
B	X	X	X	X	X	
C	X	X	X	X		
D	X	X				
E	X	X				
F	X					

Replace D and E by H.
 Result is the minimum-state DFA.

Eliminating Unreachable States

- ◆ Unfortunately, combining indistinguishable states could leave us with unreachable states in the “minimum-state” DFA.
- ◆ Thus, before or after, remove states that are not reachable from the start state.


Clincher

- ◆ We have combined states of the given DFA wherever possible.
- ◆ Could there be another, completely unrelated DFA with fewer states?
- ◆ No. The proof involves minimizing the DFA we derived with the hypothetical better DFA.

Proof: No Unrelated, Smaller DFA

- ◆ Let A be our minimized DFA; let B be a smaller equivalent.
- ◆ Consider an automaton with the states of A and B combined.
- ◆ Use “distinguishable” in its contrapositive form:
 - ◆ If states q and p are indistinguishable, so are $\delta(q, a)$ and $\delta(p, a)$.

Inferring Indistinguishability



Inductive Hypothesis

- ◆ Every state q of A is indistinguishable from some state of B .
- ◆ Induction is on the length of the shortest string taking you from the start state of A to q .

Proof – (2)

- ◆ **Basis:** Start states of A and B are indistinguishable, because $L(A) = L(B)$.
- ◆ **Induction:** Suppose $w = xa$ is a shortest string getting A to state q .
- ◆ By the IH, x gets A to some state r that is indistinguishable from some state p of B.
- ◆ Then $\delta(r, a) = q$ is indistinguishable from $\delta(p, a)$.

Proof – (3)

- ◆ However, two states of A cannot be indistinguishable from the same state of B, or they would be indistinguishable from each other.
 - ◆ Violates transitivity of “indistinguishable.”
- ◆ Thus, B has at least as many states as A.