

# Relational Algebra

Basic Operations

Algebra of Bags

# What is an “Algebra”

- ◆ Mathematical system consisting of:
  - ◆ *Operands* --- variables or values from which new values can be constructed.
  - ◆ *Operators* --- symbols denoting procedures that construct new values from given values.

# What is Relational Algebra?

- ◆ An algebra whose operands are relations or variables that represent relations.
- ◆ Operators are designed to do the most common things that we need to do with relations in a database.
  - ◆ The result is an algebra that can be used as a *query language* for relations.

# Core Relational Algebra

- ◆ Union, intersection, and difference.
  - ◆ Usual set operations, but *both operands must have the same relation schema.*
- ◆ Selection: picking certain rows.
- ◆ Projection: picking certain columns.
- ◆ Products and joins: compositions of relations.
- ◆ Renaming of relations and attributes.

# Selection

◆  $R1 := \sigma_C(R2)$

- ◆  $C$  is a condition (as in “if” statements) that refers to attributes of  $R2$ .
- ◆  $R1$  is all those tuples of  $R2$  that satisfy  $C$ .

# Example: Selection

Relation Sells:

bar	beer	price
Joe's	Bud	2.50
Joe's	Miller	2.75
Sue's	Bud	2.50
Sue's	Miller	3.00

JoeMenu :=  $\sigma_{\text{bar}=\text{"Joe's"}}(\text{Sells})$ :

bar	beer	price
Joe's	Bud	2.50
Joe's	Miller	2.75

# Projection

◆  $R1 := \pi_L(R2)$

- ◆  $L$  is a list of attributes from the schema of  $R2$ .
- ◆  $R1$  is constructed by looking at each tuple of  $R2$ , extracting the attributes on list  $L$ , in the order specified, and creating from those components a tuple for  $R1$ .
- ◆ Eliminate duplicate tuples, if any.

# Example: Projection

Relation Sells:

bar	beer	price
Joe's	Bud	2.50
Joe's	Miller	2.75
Sue's	Bud	2.50
Sue's	Miller	3.00

Prices :=  $\pi_{\text{beer,price}}(\text{Sells})$ :

beer	price
Bud	2.50
Miller	2.75
Miller	3.00

# Extended Projection

- ◆ Using the same  $\pi_L$  operator, we allow the list  $L$  to contain arbitrary expressions involving attributes:
  1. Arithmetic on attributes, e.g.,  $A+B \rightarrow C$ .
  2. Duplicate occurrences of the same attribute.

# Example: Extended Projection

$$R = \left( \begin{array}{|c|c|} \hline A & B \\ \hline 1 & 2 \\ \hline 3 & 4 \\ \hline \end{array} \right)$$

$\pi_{A+B \rightarrow C, A, A}(R) =$

C	A1	A2
3	1	1
7	3	3

# Product

◆  $R3 := R1 \times R2$

- ◆ Pair each tuple  $t1$  of  $R1$  with each tuple  $t2$  of  $R2$ .
- ◆ Concatenation  $t1t2$  is a tuple of  $R3$ .
- ◆ Schema of  $R3$  is the attributes of  $R1$  and then  $R2$ , in order.
- ◆ But beware attribute  $A$  of the same name in  $R1$  and  $R2$ : use  $R1.A$  and  $R2.A$ .

# Example: $R3 := R1 \times R2$

R1(

A,	B)
1	2
3	4

R2(

B,	C)
5	6
7	8
9	10

R3(

A,	R1.B,	R2.B,	C)
1	2	5	6
1	2	7	8
1	2	9	10
3	4	5	6
3	4	7	8
3	4	9	10

# Theta-Join

- ◆  $R3 := R1 \bowtie_C R2$ 
  - ◆ Take the product  $R1 \times R2$ .
  - ◆ Then apply  $\sigma_C$  to the result.
- ◆ As for  $\sigma$ ,  $C$  can be any boolean-valued condition.
  - ◆ Historic versions of this operator allowed only  $A \theta B$ , where  $\theta$  is  $=$ ,  $<$ , etc.; hence the name “theta-join.”

# Example: Theta Join

Sells(

bar,	beer,	price
Joe's	Bud	2.50
Joe's	Miller	2.75
Sue's	Bud	2.50
Sue's	Coors	3.00

)

Bars(

name,	addr
Joe's	Maple St.
Sue's	River Rd.

)

BarInfo := Sells  $\bowtie_{\text{Sells.bar} = \text{Bars.name}}$  Bars

BarInfo(

bar,	beer,	price,	name,	addr
Joe's	Bud	2.50	Joe's	Maple St.
Joe's	Miller	2.75	Joe's	Maple St.
Sue's	Bud	2.50	Sue's	River Rd.
Sue's	Coors	3.00	Sue's	River Rd.

)

# Natural Join

- ◆ A useful join variant (*natural* join) connects two relations by:
  - ◆ Equating attributes of the same name, and
  - ◆ Projecting out one copy of each pair of equated attributes.
- ◆ Denoted  $R3 := R1 \bowtie R2$ .

# Example: Natural Join

Sells( 

bar,	beer,	price
Joe's	Bud	2.50
Joe's	Miller	2.75
Sue's	Bud	2.50
Sue's	Coors	3.00

 )

Bars( 

bar,	addr
Joe's	Maple St.
Sue's	River Rd.

 )

BarInfo := Sells  $\bowtie$  Bars

**Note:** Bars.name has become Bars.bar to make the natural join "work."

BarInfo( 

bar,	beer,	price,	addr
Joe's	Bud	2.50	Maple St.
Joe's	Miller	2.75	Maple St.
Sue's	Bud	2.50	River Rd.
Sue's	Coors	3.00	River Rd.

 )

# Renaming

- ◆ The  $\rho$  operator gives a new schema to a relation.
- ◆  $R1 := \rho_{R1(A1, \dots, An)}(R2)$  makes R1 be a relation with attributes  $A1, \dots, An$  and the same tuples as R2.
- ◆ Simplified notation:  $R1(A1, \dots, An) := R2$ .

# Example: Renaming

Bars(

name,	addr
Joe's	Maple St.
Sue's	River Rd.

)

$R(\text{bar}, \text{addr}) := \text{Bars}$

R(

bar,	addr
Joe's	Maple St.
Sue's	River Rd.

)

# Building Complex Expressions

- ◆ Combine operators with parentheses and precedence rules.
- ◆ Three notations, just as in arithmetic:
  1. Sequences of assignment statements.
  2. Expressions with several operators.
  3. Expression trees.

# Sequences of Assignments

- ◆ Create temporary relation names.
- ◆ Renaming can be implied by giving relations a list of attributes.
- ◆ **Example:**  $R3 := R1 \bowtie_C R2$  can be written:

$R4 := R1 \times R2$

$R3 := \sigma_C(R4)$

# Expressions in a Single Assignment

- ◆ **Example:** the theta-join  $R3 := R1 \bowtie_C R2$  can be written:  $R3 := \sigma_C(R1 \times R2)$
- ◆ Precedence of relational operators:
  1.  $[\sigma, \pi, \rho]$  (highest).
  2.  $[\times, \bowtie]$ .
  3.  $\cap$ .
  4.  $[\cup, -]$


# Expression Trees

- ◆ Leaves are operands --- either variables standing for relations or particular, constant relations.
- ◆ Interior nodes are operators, applied to their child or children.

## Example: Tree for a Query

- ◆ Using the relations **Bars(name, addr)** and **Sells(bar, beer, price)**, find the names of all the bars that are either on Maple St. or sell Bud for less than \$3.


# As a Tree:



## Example: Self-Join

- ◆ Using  $\text{Sells}(\text{bar}, \text{beer}, \text{price})$ , find the bars that sell two different beers at the same price.
- ◆ **Strategy**: by renaming, define a copy of  $\text{Sells}$ , called  $\text{S}(\text{bar}, \text{beer1}, \text{price})$ . The natural join of  $\text{Sells}$  and  $\text{S}$  consists of quadruples  $(\text{bar}, \text{beer}, \text{beer1}, \text{price})$  such that the bar sells both beers at this price.

# The Tree



# Schemas for Results

- ◆ **Union, intersection, and difference:** the schemas of the two operands must be the same, so use that schema for the result.
- ◆ **Selection:** schema of the result is the same as the schema of the operand.
- ◆ **Projection:** list of attributes tells us the schema.

# Schemas for Results --- (2)

- ◆ **Product**: schema is the attributes of both relations.
  - ◆ Use  $R.A$ , etc., to distinguish two attributes named  $A$ .
- ◆ **Theta-join**: same as product.
- ◆ **Natural join**: union of the attributes of the two relations.
- ◆ **Renaming**: the operator tells the schema.

# Relational Algebra on Bags

- ◆ A *bag* (or *multiset*) is like a set, but an element may appear more than once.
- ◆ **Example:**  $\{1,2,1,3\}$  is a bag.
- ◆ **Example:**  $\{1,2,3\}$  is also a bag that happens to be a set.

# Why Bags?

- ◆ SQL, the most important query language for relational databases, is actually a bag language.
- ◆ Some operations, like projection, are more efficient on bags than sets.

# Operations on Bags

- ◆ **Selection** applies to each tuple, so its effect on bags is like its effect on sets.
- ◆ **Projection** also applies to each tuple, but as a bag operator, we do not eliminate duplicates.
- ◆ **Products** and **joins** are done on each pair of tuples, so duplicates in bags have no effect on how we operate.

# Example: Bag Selection

R(

A	B
1	2
5	6
1	2

)

$\sigma_{A+B < 5} (R) =$

A	B
1	2
1	2

# Example: Bag Projection

R(

A,	B )
1	2
5	6
1	2

$$\pi_A(R) =$$

A
1
5
1

# Example: Bag Product

R(

A,	B
1	2
5	6
1	2

)

S(

B,	C
3	4
7	8

)

R X S =

A	R.B	S.B	C
1	2	3	4
1	2	7	8
5	6	3	4
5	6	7	8
1	2	3	4
1	2	7	8

# Example: Bag Theta-Join

R(

A,	B
1	2
5	6
1	2

)

S(

B,	C
3	4
7	8

)

R  $\bowtie_{R.B < S.B}$  S =

A	R.B	S.B	C
1	2	3	4
1	2	7	8
5	6	7	8
1	2	3	4
1	2	7	8

# Bag Union

- ◆ An element appears in the union of two bags the sum of the number of times it appears in each bag.
- ◆ **Example:**  $\{1,2,1\} \cup \{1,1,2,3,1\} = \{1,1,1,1,1,2,2,3\}$

# Bag Intersection

- ◆ An element appears in the intersection of two bags the minimum of the number of times it appears in either.
- ◆ **Example:**  $\{1,2,1,1\} \cap \{1,2,1,3\} = \{1,1,2\}$ .

# Bag Difference

- ◆ An element appears in the difference  $A - B$  of bags as many times as it appears in  $A$ , minus the number of times it appears in  $B$ .
  - ◆ But never less than 0 times.
- ◆ **Example:**  $\{1,2,1,1\} - \{1,2,3\} = \{1,1\}$ .

# Beware: Bag Laws $\neq$ Set Laws

- ◆ Some, but *not all* algebraic laws that hold for sets also hold for bags.
- ◆ **Example:** the commutative law for union ( $R \cup S = S \cup R$ ) *does* hold for bags.
  - ◆ Since addition is commutative, adding the number of times  $x$  appears in  $R$  and  $S$  doesn't depend on the order of  $R$  and  $S$ .

## Example: A Law That Fails

- ◆ Set union is *idempotent*, meaning that  $S \cup S = S$ .
- ◆ However, for bags, if  $x$  appears  $n$  times in  $S$ , then it appears  $2n$  times in  $S \cup S$ .
- ◆ Thus  $S \cup S \neq S$  in general.
  - ◆ e.g.,  $\{1\} \cup \{1\} = \{1,1\} \neq \{1\}$ .